



RADIATION THERAPY INFORMATION GUIDE

Stereotactic body radiation therapy (SBRT) for lung cancer

Name of my radiation o	ncologist:	

Department phone no.: 418-691-5264

Consult this document on: www.chudequebec.ca/Radiotherapie_sbrt_poumon

Introduction

Your radiation oncologist has suggested radiation therapy for your early-stage lung cancer. This guide contains information about:

- What radiation therapy is;
- The steps involved in planning your treatments;
- What will happen during your treatments;
- The possible side effects;
- Recommendations during treatments.

The centre

The radiation oncology centre at CHU de Québec-Université Laval is a supraregional centre with a mission to:

- Provide quality treatments;
- Promote research:
- Participate in student training;
- Evaluate new technologies.

You may be asked to participate in research projects during your treatments. You may also be seen by students during your visits. Students are always closely supervised by a health professional in their field.

Your team

- The **radiation oncologist** (your doctor) will meet you for a consultation. After reviewing your file, speaking to you and examining you, the doctor will decide whether you are a candidate for radiation therapy. He will oversee every step of your treatment.
- The **nurse** will be involved in assessing your physical and mental condition and will manage your symptoms during your treatments.
- Radiation therapists will be there to support you during your radiation therapy treatments (from preparation to administration).
- Depending on your condition, you may need to see other team members before or during your radiation therapy treatments, including a **social worker**, **psychologist** or **pivot nurse**.

What is radiation therapy?

Radiation therapy is a treatment that uses high energy x-rays or electrons to treat tumours (benign or malignant).

A machine called a linear accelerator is placed near your body. This machine gives a predetermined dose of radiation at the part of the body where the tumour is located. It can be moved in different directions.



Your treatment team checks the machines daily to make sure they're accurate and working properly.

The goal of the treatment is to destroy the cancer cells, while protecting the surrounding healthy tissue as much as possible.

Radiation therapy is painless, odourless and invisible. As soon as the treatment is over, the machine stops releasing radiation. You will not become radioactive after your treatments, and there is no danger to anyone around you.

Radiation therapy and other treatments

The treatment choice is based on accepted practices and a joint decision between you and your doctors.



First visit

Review of your medical file

In most cases, you will not have any treatment at your first radiation oncology visit. Your radiation oncologist will review your medical file and examine you, after which he will prescribe the appropriate treatment.

It's important to know that other steps need to be taken before your first treatment, which explains the delay between your first appointment and your first treatment.

At this visit, it's important to tell your doctor if you have an implantable electronic or other medical device (e.g., pacemaker, insulin pump, hearing aid). To avoid malfunction, manufacturers recommend removing some of these devices during pre-treatment examinations or treatments.

Some accessories may be used to help you stay in this position.



Second visit

Planning your treatment

These steps take anywhere from 3 to 4 hours.

It is important to follow any dietary instructions you may be given for planning appointments.



1. Molding

The radiation therapists will help you find the most comfortable position for your treatments. You will be lying on your back with your arms raised above your head. This is the same position that will be used for all your treatments. Therefore, it's important to mention any discomfort or pain.

A custom body cushion will be made to help you stay in this position.



We recommend you take 2 acetaminophen tablets about one hour before this appointment. The raised-arm position can cause shoulder pain. Also plan to take your pumps to avoid coughing and shortness of breath. As needed, speak to your radiation oncologist.

2. CT scan

A CT scan will be done to pinpoint the area to be treated. It will give measurements to decide the best way to administer the radiation needed to treat you.

Several sets of images will be taken to locate your tumour throughout the respiratory cycle.

You must lie completely still during the CT scan.

Your doctor may order a CT scan with contrast (iodine injection). If so, you'll be given the instructions for this test. Marks will be drawn on your skin. They will be used as landmarks by the radiation therapists during your treatments. Don't worry—the marks are often bigger than the area to be treated.

• The red markings are temporary. You will need to keep them on throughout your treatments. Do not remove them, as they are needed to ensure accuracy.

A few tips:

- When washing, do not place your marks directly under the running water.
- Pat yourself dry with a towel. Do not rub the skin.
- The ink will stain clothing.

If the marks look like they're fading, call the radiation oncology department. We will tell you what to do.

• A few dots can be tattooed on your skin. These are permanent, so there's no risk of them being washed off.



A PET scan can be done to help us locate the area to be treated.

You must lie completely still during the PET scan.

4. Pre-treatment waiting period

After those exams, there will be a delay while the team plans your treatment. The radiation therapists will let you know how long this will take. It may take longer if your doctor is waiting for test results. In all cases, we will adhere to the standards set by the Ministère de la Santé et des Services sociaux.

You will be notified by phone of the date and time of your first treatment. Treatments can begin any day of the week.




Treatments


Number of treatments required

The number of radiation therapy treatments depends on the assessment of your health condition and your file. This number is not a reflection of the seriousness of your cancer.

Treatments are usually given over a short period of time (e.g., 4 or 5 treatments over 1-2 weeks).

You will meet other patients during your visits, but it's important to remember that your treatments are personalized and tailored to your individual needs.





It is important to follow any dietary instructions you may be given for your treatment appointments.

You will always be greeted by radiation therapists. They are familiar with your treatment plan. They will take the time to answer your questions.



We recommend you take 2 acetaminophen tablets about one hour before this appointment. This will lessen the pain associated with your position. Don't forget to take your pumps!

Based on the marks on your skin, you will be lined up under the machine in the proper position.

For accuracy reasons, it's important to lie very still during the treatments. However, you can breathe normally.

The radiation therapists will leave the room while the machine is running. They will be in an adjacent control room watching you on a screen. They can hear everything you say and speak to you over an intercom.

The radiation lasts only a few minutes. However, it takes about 50 minutes to get set up.

Verification images are taken at each treatment to check your position. They are not meant to see how your tumour is responding to treatment.



It is very important that you come to all your appointments. If you can't make it, please let us know as soon as possible.





Side effects

Stereotactic body radiation therapy (SBRT) can affect normal tissue and cause side effects. Because of the small area irradiated, side effects are uncommon. Their seriousness depends on the person, the type of disease, the dose of radiation, and the area treated.

These side effects don't always happen. Their seriousness depends on the person, the type of disease, the dose of radiation, and the area treated.

Here is a list of possible side effects and when they tend to appear

During treatment and in the weeks that follow

Most of these side effects are temporary and will disappear within a few weeks after the radiation therapy.

Possible side effects

- Fatigue
- Skin irritation (redness, itching, dryness) in the treated area
- Bronchial irritation with cough and secretions
- Lung irritation:
 - May cause cough, fever and/or shortness of breath
 - May appear up to 6 months after radiation therapy
 - Disappears spontaneously after a few months or with medication (for uncomfortable side effects)
- Discomfort or pain in the chest wall
- Irritation of the esophagus:
 - Pain or burning in the esophagus
 - Pain or a feeling of food being stuck in the throat when swallowing

In the months/years following treatment

Most common side effects

- Chest wall pain and/or rib fractures (can happen 1-2 years after treatment)
- Scarring on the lung in the treated area (fibrosis) that may cause:
 - Increased shortness of breath
 - Cough


Rare side effects

- Irritation of the membrane around the heart (pericarditis):
 - May appear up to 6 months after radiation therapy
 - May cause chest pain, shortness of breath and/or palpitations
- Partial collapsed lung, which can cause:
 - Cough, chest discomfort, shortness of breath
- Increased risk of heart disease
- Permanent injury and damage to nerves in the arm, which can cause:
 - Pain radiating to the arm
 - Abnormal sensations in the arm, such as numbness
 - Weakness in the arm

Very rare side effects

(1 in 1,000 patients: 0.1%)

- Cancer caused by radiation therapy
 - The benefits of treatment outweigh this very low risk
- Spinal cord injury that may cause paralysis





Rarely, other side effects may occur that we cannot predict.

However, if you develop side effects that are causing discomfort, **feel free to contact us**.

Medical follow-up

During your treatments, you will be seen by the nurse, who will schedule a follow-up visit after your treatments. Your radiation oncologist will see you only if you have questions or side effects. An appointment will be scheduled, as needed.

Recommendations during treatments

General advice

• Tell the radiation therapist, the nurse or the radiation oncologist if you develop any side effects.



- Make sure you get plenty of rest but still stay active.
- If you have the potential to get pregnant, use an effective method of birth control during your treatments.

Sun exposure and swimming



- Do not expose the treated area to the sun during treatments. After the treatments, you should use sunscreen to protect your skin if exposing it to the sun.
- Swimming: If your skin is not irritated/red, you can go swimming. **Make sure your markings don't come off.** If your skin is irritated, you can still go in the water, but don't get the treated area wet.
- Spa: Not recommended during treatments and within two weeks after treatments or until skin irritation has resolved.

Smoking	Smo	king
---------	-----	------

• You should abstain from smoking during your treatments and quit permanently afterwards. Support is available at www.tobaccofreequebec.ca/iquitnow or by calling 1-866 JARRETE (1-866-527-7383). You can also talk to your doctor or pharmacist about other resources to help you quit.

lotes

Notes



Radio-oncologie

This guide contains recommendations consistent with the scientific information available at the time of publication in september 2023. However, these recommendations are no replacement for medical advice. If you have and questions, please speak to your health provider.

This document may not be reproduced, in whole or in part, without written authorization from the CHU de Québec-Université Laval.



The translation of the Information Guides is courtesy of the User committee of CHU de Québec-Université Laval.

© CHU de Québec-Université Laval, 2025

09/25, produced by the communications department

Printed on FSC®-certified, ECOLOGO®-certified, and chlorine-free



